

ADDENDUM NO. 1

Project Description: 2026 Community Park Improvements

Owner: City of Fridley

Bid Date: October 19, 2026

Bid Time: 2:00 p.m.

Date: 10/9/2026

BMI Project No.: 26X145313

City Project No.: 26714

QuestCDN No.: 10394598

1.01 GENERAL:

The following changes are, by the issuance of this Addendum, made a part of the Contract Documents for the project referenced above, as if originally contained therein. Execution of the acknowledgment on the bid form shall be the bidder's acceptance of the conditions set forth herein.

1.02 ACKNOWLEDGMENT:

This addendum shall be acknowledged on the submitted bid form. Failure to do so may result in the rejection of the bid.

1.03 PROJECT MANUAL:

A. Section 32 31 13 – CHAIN LINK FENCES AND GATES

1. **Modify** 2.1.B.1.b to read as follows:

- a. 9-gauge wire

B. Section 32 31 13 – CHAIN LINK FENCES AND GATES

1. **Modify** 3.1.C to read as follows:

- a. All line posts shall be installed vertically plumb and spaced uniformly and intervals not exceeding 10.0-feet. Intermediate line posts shall be air driven to a depth of six feet unless otherwise indicated on the plans.


C. Section 32 31 13 – CHAIN LINK FENCES AND GATES

1. Plans shall govern, bottom rail required and tension wire is not required.

- a. Bottom rail materials shall match top rail materials.

1.04 CERTIFICATION:

I hereby certify that this addendum was prepared by me or under my direct supervision, and that I am a duly Licensed Professional Engineer under the laws of the State of Minnesota.

By: 

Zachary Lingl, P.E.

License No: 56344

Date: 10/9/2026

****END OF ADDENDUM NO. 1****